




B° Sancholopetegui, 22  
Apdo. 17  
20560 OÑATI (ESPAÑA)  
Tel: +34 943 71 80 30  
Fax: +34 943 71 81 81  
---  
[www.fagorindustrial.com](http://www.fagorindustrial.com)



## GAS CHARCOAL GRILL, BG-705 I

### DESCRIPTION

Made of stainless steel.  
Burner in stainless steel with pilot.  
Piezoelectric burner ignition. Safety valve and thermocouple.  
Lava rocks.  
Stainless steel grid. Grid dimensions: 340 x 500 mm.  
The angle of the cooking grid can be adjusted to three positions.  
Fat collector.  
Power: 6000 kcal/h (6.98 kW).  
Dimensions: 350 x 750 x 290 mm.

### DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	6002,8	Water pressure	Kg/cm <sup>2</sup>	
Gas power	kW	6,98	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm <sup>2</sup>	
Consumption	m <sup>3</sup> /h	0,8	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm <sup>2</sup>	
pressure	g/cm <sup>2</sup>	18	Length	mm	350
LPG Consumption	Kg/h	0,63	Depth	mm	750
LPG pressure	g/cm <sup>2</sup>	37	Height	mm	290
			Net weight	kg	40
			Gross weight	kg	48
			Volume	m <sup>3</sup>	0,1953




Distribuidor oficial:





B° Sancholopetegui, 22  
Apdo. 17  
20560 OÑATI (ESPAÑA)  
Tel: +34 943 71 80 30  
Fax: +34 943 71 81 81  
---  
[www.fagorindustrial.com](http://www.fagorindustrial.com)



## GAS CHARCOAL GRILL, BG-705

### DESCRIPTION

Made of stainless steel.  
Burner in stainless steel with pilot.  
Piezoelectric burner ignition. Safety valve and thermocouple.  
Lava rocks.  
Cast iron grid. Grid dimensions: 340 x 500 mm.  
The angle of the cooking grid can be adjusted to three positions.  
Fat collector.  
Power: 6000 kcal/h (6.98 kW).  
Dimensions: 350 x 750 x 290 mm.

### DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	6002,8	Water pressure	Kg/cm <sup>2</sup>	
Gas power	kW	6,98	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm <sup>2</sup>	
Consumption	m <sup>3</sup> /h	0,8	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm <sup>2</sup>	
pressure	g/cm <sup>2</sup>	18	Length	mm	350
LPG Consumption	Kg/h	0,63	Depth	mm	750
LPG pressure	g/cm <sup>2</sup>	37	Height	mm	290
			Net weight	kg	40
			Gross weight	kg	48
			Volume	m <sup>3</sup>	0,1953




Distribuidor oficial:





FAGOR INDUSTRIAL

B° Sancholopetegui, 22  
Apdo. 17  
20560 OÑATI (ESPAÑA)  
Tel: +34 943 71 80 30  
Fax: +34 943 71 81 81  
---  
[www.fagorindustrial.com](http://www.fagorindustrial.com)



## GAS CHARCOAL GRILL, BG-710 I

### DESCRIPTION

Made of stainless steel.  
Burner in stainless steel with pilot.  
Piezoelectric burner ignition. Safety valve and thermocouple.  
Lava rocks.  
Two stainless steel grids.  
Grid dimensions: 340 x 500 mm.  
The angle of the cooking grid can be adjusted to three positions.  
Fat collector.  
Power: 12.000 kcal/h (13.96 kW).  
Dimensions: 700 x 750 x 290 mm.

### DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	12005,6	Water pressure	Kg/cm <sup>2</sup>	
Gas power	kW	13,96	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm <sup>2</sup>	
Consumption	m <sup>3</sup> /h	1,6	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm <sup>2</sup>	
pressure	g/cm <sup>2</sup>	18	Length	mm	700
LPG Consumption	Kg/h	1,26	Depth	mm	750
LPG pressure	g/cm <sup>2</sup>	37	Height	mm	290
			Net weight	kg	65
			Gross weight	kg	86,5
			Volume	m <sup>3</sup>	0,3707




Distribuidor oficial:





FAGOR INDUSTRIAL

B° Sancholopetegui, 22  
Apdo. 17  
20560 OÑATI (ESPAÑA)  
Tel: +34 943 71 80 30  
Fax: +34 943 71 81 81  
---  
[www.fagorindustrial.com](http://www.fagorindustrial.com)



## GAS CHARCOAL GRILL, BG-710

### DESCRIPTION

Made of stainless steel.  
Burner in stainless steel with pilot.  
Piezoelectric burner ignition. Safety valve and thermocouple.  
Lava rocks.  
One cast iron grid and one stainless steel grid.  
Grid dimensions: 340 x 500 mm.  
The angle of the cooking grid can be adjusted to three positions.  
Fat collector.  
Power: 12.000 kcal/h (13.96 kW).  
Dimensions: 700 x 750 x 290 mm.

### DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	12005,6	Water pressure	Kg/cm <sup>2</sup>	
Gas power	kW	13,96	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm <sup>2</sup>	
Consumption	m <sup>3</sup> /h	1,6	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm <sup>2</sup>	
pressure	g/cm <sup>2</sup>	18	Length	mm	700
LPG Consumption	Kg/h	1,26	Depth	mm	750
LPG pressure	g/cm <sup>2</sup>	37	Height	mm	290
			Net weight	kg	65
			Gross weight	kg	86,5
			Volume	m <sup>3</sup>	0,3707



Distribuidor oficial:

