




FAGOR INDUSTRIAL

B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



ELECTRIC RANGE, CE-720

DESCRIPTION

Made of stainless steel.
Cast iron hot- plates with shielded elements.
6 settings switch. Indicator lights.
Plates: 2 x 2600 W (Ø 220 mm).
Total power: 5.2 kW.
Dimensions: 350 x 750 x 290 mm.

DATA

Electric power	kW	5,2	Water consumption	lit/h	
Electrical intake			Water pressure	Kg/cm ²	
230V - 1 + N + T	2x4+T - 32 A		Steam power	kg/h	
230V - 3 + T	3x2,5+T - 25 A		Steam pressure	Kg/cm ²	
400V - 3 + N + T	4x1,5+T - 16		Air consumption	NI/min	
A			Air pressure	Kg/cm ²	
Gas power	kcal/h		Length	mm	350
Gas power	kW		Depth	mm	750
Natural Gas Consumption	m ³ /h		Height	mm	290
Natural Gas pressure	g/cm ²		Net weight	kg	35
LPG Consumption	Kg/h		Gross weight	kg	43
LPG pressure	g/cm ²		Volume	m ³	0,1736



Distribuidor oficial:






FAGOR 
FAGOR INDUSTRIAL

B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



ELECTRIC RANGE, CE-740

DESCRIPTION

Made of stainless steel.
Cast iron hot- plates with shielded elements.
6 settings switch. Indicator lights.
Plates: 3 x 2.600 W (Ø 220 mm)
+ 1 x 1.500 W (Ø 150 mm).
Total power: 9.3 kW.
Dimensions: 700 x 750 x 290 mm.

DATA

Electric power	kW	9,3	Water consumption	lit/h	
Electrical intake			Water pressure	Kg/cm ²	
230V - 1 + N + T	2x10+T - 50 A		Steam power	kg/h	
230V - 3 + T	3x4+T - 40 A		Steam pressure	Kg/cm ²	
400V - 3 + N + T	4x2,5+T - 32		Air consumption	NI/min	
A			Air pressure	Kg/cm ²	
Gas power	kcal/h		Length	mm	700
Gas power	kW		Depth	mm	750
Natural Gas Consumption	m ³ /h		Height	mm	290
Natural Gas pressure	g/cm ²		Net weight	kg	63
LPG Consumption	Kg/h		Gross weight	kg	75
LPG pressure	g/cm ²		Volume	m ³	0,3220




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



ELECTRIC RANGE, CE-741

DESCRIPTION

Made of stainless steel.
Cast iron hot- plates with shielded elements.
6 settings switch. Indicator lights.
Plates: 3 x 2.600 W (Ø 220 mm)
+ 1 x 1.500 W (Ø 150 mm).
2/1 GN oven made of stainless steel, with upper and lower heating elements.
Selector switch for the elements.
Thermostatic control (130 °C – 350 °C).
Oven power: 6 kW.
Total power :15.3 kW.
Dimensions: 700 x 750 x 850 mm.

DATA

Electric power	kW	15,3	Water consumption	lit/h	
Electrical intake			Water pressure	Kg/cm ²	
230V - 1 + N + T	2x16+T - 80 A		Steam power	kg/h	
230V - 3 + T	3x10+T - 63 A		Steam pressure	Kg/cm ²	
400V - 3 + N + T	4x4+T - 40 A		Air consumption	NI/min	
Gas power	kcal/h		Air pressure	Kg/cm ²	
Gas power	kW		Length	mm	700
Natural Gas Consumption	m ³ /h		Depth	mm	750
Natural Gas pressure	g/cm ²		Height	mm	850
LPG Consumption	Kg/h		Net weight	kg	130
LPG pressure	g/cm ²		Gross weight	kg	152
			Volume	m ³	0,6593



Distribuidor oficial:

