




FAGOR INDUSTRIAL

B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CGB-761

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 2 x 6000 + 4 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
UK style oven made of stainless steel, with temperature gradient from top to bottom of oven.
Pilot and thermocouple.
Thermostatic control (130 °C – 350 °C).
Double side door.
Oven burner: 6300 kcal/h. (7.3 kW).
Total power: 32.630 Kcal/h. (37.94 kW).
Dimensions: 1050 x 750 x 850 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	32628,4	Water pressure	Kg/cm ²	
Gas power	kW	37,94	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	3,93	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	1050
LPG Consumption	Kg/h	3,1	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	850
			Net weight	kg	155
			Gross weight	kg	196,5
			Volume	m ³	1,0158




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CGB-761 R

DESCRIPTION

Model with castors.
Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 2 x 6000 + 4 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
UK style oven made of stainless steel, with temperature gradient from top to bottom of oven.
Pilot and thermocouple.
Thermostatic control (130 °C - 350 °C).
Double side door.
Oven burner: 6300 kcal/h. (7.3 kW).
Total power: 32.630 Kcal/h. (37.94 kW).
Dimensions: 1050 x 750 x 850 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	32628,4	Water pressure	Kg/cm ²	
Gas power	kW	37,94	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	3,93	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	1050
LPG Consumption	Kg/h	3,1	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	850
			Net weight	kg	155
			Gross weight	kg	196,5
			Volume	m ³	1,0158




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CGB-761 RH

DESCRIPTION

Model with castors.
Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 6 x 8000 kcal/h
Dimensions of the grill: 347x310 mm.
UK style oven made of stainless steel, with temperature gradient from top to bottom of oven.
Pilot and thermocouple.
Thermostatic control (130 °C - 350 °C).
Double side door.
Oven burner: 6300 kcal/h. (7.3 kW).
Total power: 54,300 Kcal/h. (63.14 kW).
Dimensions: 1050 x 750 x 850 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	54300	Water pressure	Kg/cm ²	
Gas			Steam power	kg/h	
power	kW	63,1395348837	Steam pressure	Kg/cm ²	
209			Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
Consumption	m ³ /h	5,5	Length	mm	1050
Natural Gas			Depth	mm	750
pressure	g/cm ²	18	Height	mm	850
LPG Consumption	Kg/h	4,3	Net weight	kg	155
LPG pressure	g/cm ²	37	Gross weight	kg	196,5
			Volume	m ³	0,9748



Distribuidor oficial:






FAGOR INDUSTRIAL

B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CGB-761 H

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 6 x 8,000 kcal/h
Dimensions of the grill: 347x310 mm.
UK style oven made of stainless steel, with temperature gradient from top to bottom of oven.
Pilot and thermocouple.
Thermostatic control (130 °C - 350 °C).
Double side door.
Oven burner: 6300 kcal/h. (7.3 kW).
Total power: 54,300 Kcal/h. (63.14 kW).
Dimensions: 1050 x 750 x 850 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	54300	Water pressure	Kg/cm ²	
Gas			Steam power	kg/h	
power	kW	63,1395348837	Steam pressure	Kg/cm ²	
209			Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
Consumption	m ³ /h	5,5	Length	mm	1050
Natural Gas			Depth	mm	750
pressure	g/cm ²	18	Height	mm	850
LPG Consumption	Kg/h	4,3	Net weight	kg	155
LPG pressure	g/cm ²	37	Gross weight	kg	196,5
			Volume	m ³	1,0158




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-720

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 2 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
Total power: 8.000 Kcal/h. (9.3 kW).
Dimensions: 350 x 750 x 290 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	7998	Water pressure	Kg/cm ²	
Gas power	kW	9,3	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	0,834	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	350
LPG Consumption	Kg/h	0,66	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	290
			Net weight	kg	35
			Gross weight	kg	43
			Volume	m ³	0,1736




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-720 H

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 2 x 8000 kcal/h
Dimensions of the grill: 347x310 mm.
Total power: 16,000 Kcal/h. (18.6 kW).
Dimensions: 350 x 750 x 290 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	16000	Water pressure	Kg/cm ²	
Gas			Steam power	kg/h	
power	kW	18,6046511627	Steam pressure	Kg/cm ²	
907			Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
Consumption	m ³ /h	1,9	Length	mm	350
Natural Gas			Depth	mm	750
pressure	g/cm ²	18	Height	mm	290
LPG Consumption	Kg/h	1,48	Net weight	kg	35
LPG pressure	g/cm ²	37	Gross weight	kg	43
			Volume	m ³	0,1687




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-740

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 1 x 6000 + 3 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
Total power: 18.000 Kcal/h. (20.93 kW).
Dimensions: 700 x 750 x 290 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	17999,8	Water pressure	Kg/cm ²	
Gas power	kW	20,93	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	2,09	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	700
LPG Consumption	Kg/h	1,56	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	290
			Net weight	kg	61
			Gross weight	kg	75
			Volume	m ³	0,3220




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-740 H

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 4 x 8000 kcal/h
Dimensions of the grill: 347x310 mm.
Total power: 32,000 Kcal/h. (37.21 kW).
Dimensions: 700 x 750 x 290 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	32000	Water pressure	Kg/cm ²	
Gas			Steam power	kg/h	
power	kW	37,2093023255	Steam pressure	Kg/cm ²	
814			Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
Consumption	m ³ /h	3,85	Length	mm	700
Natural Gas			Depth	mm	750
pressure	g/cm ²	18	Height	mm	290
LPG Consumption	Kg/h	3	Net weight	kg	61
LPG pressure	g/cm ²	37	Gross weight	kg	75
			Volume	m ³	0,3220




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-741

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 1 x 6000 + 3 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
2/1 GN oven made of stainless steel, with tubular burner in stainless steel.
Pilot and thermocouple.
Thermostatic control (130 °C – 350 °C).
Oven burner: 6000 kcal/h.
Total power: 24.000 Kcal/h. (27.9 kW).
Dimensions: 700 x 750 x 850 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	23994	Water pressure	Kg/cm ²	
Gas power	kW	27,9	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	2,78	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	700
LPG Consumption	Kg/h	2,19	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	850
			Net weight	kg	134
			Gross weight	kg	152
			Volume	m ³	0,6593




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-741 H

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 4 x 8000 kcal/h
Dimensions of the grill: 347x310 mm.
2/1 GN oven made of stainless steel, with tubular burner in stainless steel.
Pilot and thermocouple.
Thermostatic control (130 °C - 350 °C).
Oven burner: 6000 kcal/h.
Total power: 38,000 Kcal/h. (44.2 kW).
Dimensions: 700 x 750 x 850 mm

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	38000	Water pressure	Kg/cm ²	
Gas			Steam power	kg/h	
power	kW	44,1860465116	Steam pressure	Kg/cm ²	
279			Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
Consumption	m ³ /h	4,23	Length	mm	700
Natural Gas			Depth	mm	750
pressure	g/cm ²	18	Height	mm	850
LPG Consumption	Kg/h	3,15	Net weight	kg	134
LPG pressure	g/cm ²	37	Gross weight	kg	152
			Volume	m ³	0,6593



Distribuidor oficial:






FAGOR INDUSTRIAL

B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-761

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 2 x 6000 + 4 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
2/1 GN oven made of stainless steel, with tubular burner in stainless steel.
Pilot and thermocouple.
Thermostatic control (130 °C - 350 °C).
Oven burner: 6000 kcal/h.
Auxiliary neutral cabinet.
Total power: 34.000 Kcal/h. (39.53 kW).
Dimensions: 1050 x 750 x 850 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	33995,8	Water pressure	Kg/cm ²	
Gas power	kW	39,53	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	3,93	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	1050
LPG Consumption	Kg/h	3,1	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	850
			Net weight	kg	155
			Gross weight	kg	196,5
			Volume	m ³	1,0158




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-761 H

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 6 x 8000 kcal/h
Dimensions of the grill: 347x310 mm.
2/1 GN oven made of stainless steel, with tubular burner in stainless steel.
Pilot and thermocouple.
Thermostatic control (130 °C - 350 °C).
Oven burner: 6000 kcal/h.
Auxiliary neutral cabinet.
Total power: 54.000 Kcal/h. (62.8 kW).
Dimensions: 1050 x 750 x 850 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	54000	Water pressure	Kg/cm ²	
Gas power	kW	62,7906976744	Steam power	kg/h	
186			Steam pressure	Kg/cm ²	
Natural Gas			Air consumption	NI/min	
Consumption	m ³ /h	5,5	Air pressure	Kg/cm ²	
Natural Gas			Length	mm	1050
pressure	g/cm ²	18	Depth	mm	750
LPG Consumption	Kg/h	4,3	Height	mm	850
LPG pressure	g/cm ²	37	Net weight	kg	155
			Gross weight	kg	196,5
			Volume	m ³	1,0158




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-710

DESCRIPTION

Made of stainless steel.
Consists of: solid top on the work-top, cast iron burner with firebrick protection ensuring even heat distribution.
Dimensions of the solid top plate: 695 x 620 mm.
Total power: 8.000 Kcal/h. (9.3 kW).
Dimensions: 700 x 750 x 290 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	7998	Water pressure	Kg/cm ²	
Gas power	kW	9,3	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	0,89	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	700
LPG Consumption	Kg/h	0,7	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	290
			Net weight	kg	90
			Gross weight	kg	109
			Volume	m ³	0,3265




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-711

DESCRIPTION

Made of stainless steel.
Consists of: solid top on the work-top, cast iron burner.
Burner of 8000 kcal/h.
Dimensions of the solid top plate: 695 x 620 mm.
2/1 GN oven made of stainless steel, with tubular burner in stainless steel.
Pilot and thermocouple.
Thermostatic control (130 °C - 350 °C).
Oven burner: 6000 kcal/h.
Total power: 14.000 Kcal/h. (16.28 kW).
Dimensions: 700 x 750 x 850 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	14000,8	Water pressure	Kg/cm ²	
Gas power	kW	16,28	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	1,58	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	700
LPG Consumption	Kg/h	1,24	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	850
			Net weight	kg	165
			Gross weight	kg	185,5
			Volume	m ³	0,6557



Distribuidor oficial:






FAGOR INDUSTRIAL

B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-731 D

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 1 x 6000 + 1 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
One solid top on the right side of the work-top, cast iron burner.
Burner power: 4000 kcal/h.
Solid top plate dimensions: 347x620 mm.
2/1 GN oven made of stainless steel with tubular burner in stainless steel.
Pilot and thermocouple.
Thermostatic control (130 °C - 350 °C).
Oven burner: 6000 kcal/h.
Total power: 20,000 Kcal/h. (23.3 kW).
Dimensions: 700 x 750 x 850 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	20038	Water pressure	Kg/cm ²	
Gas power	kW	23,3	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	2,78	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	700
LPG Consumption	Kg/h	2,19	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	850
			Net weight	kg	129
			Gross weight	kg	147
			Volume	m ³	0,6673



Distribuidor oficial:






FAGOR INDUSTRIAL

B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-731 I

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 1 x 6000 + 1 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
One solid top on the left side of the work-top, cast iron burner.
Burner power: 4000 kcal/h.
Solid top plate dimensions: 347x620 mm.
2/1 GN oven made of stainless steel with tubular burner in stainless steel.
Pilot and thermocouple.
Thermostatic control (130 °C - 350 °C).
Oven burner: 6000 kcal/h.
Total power: 20,000 Kcal/h. (23.3 kW).
Dimensions: 700 x 750 x 850 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	20038	Water pressure	Kg/cm ²	
Gas power	kW	23,3	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	2,78	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	700
LPG Consumption	Kg/h	2,19	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	850
			Net weight	kg	129
			Gross weight	kg	147
			Volume	m ³	0,6673



Distribuidor oficial:






FAGOR INDUSTRIAL

B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-730 D

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 1 x 6000 + 1 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
One solid top on the right side of the work-top, cast iron burner.
Burner of 4000 kcal/h.
Dimensions: 347x620 mm.
Total power: 14,000 Kcal/h. (16.3 kW).
Dimensions: 700 x 750 x 290 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	14018	Water pressure	Kg/cm ²	
Gas power	kW	16,3	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	2,09	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	700
LPG Consumption	Kg/h	1,56	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	290
			Net weight	kg	61
			Gross weight	kg	75
			Volume	m ³	0,3182



Distribuidor oficial:






FAGOR INDUSTRIAL

B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-730 I

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 1 x 6000 + 1 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
One solid top on the left side of the work-top, cast iron
burner. Burner of 4000 kcal/h.
Dimensions: 347x620 mm.
Total power: 14,000 Kcal/h. (16.3 kW).
Dimensions: 700 x 750 x 290 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	14018	Water pressure	Kg/cm ²	
Gas power	kW	16,3	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	2,09	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	700
LPG Consumption	Kg/h	1,56	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	290
			Net weight	kg	61
			Gross weight	kg	75
			Volume	m ³	0,3182



Distribuidor oficial:






FAGOR INDUSTRIAL

B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-751

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 2 x 6000 + 2 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
One solid top, cast iron burner.
Burner power: 4000 kcal/h.
Solid top plate dimensions: 347x620 mm.
2/1 GN oven made of stainless steel with tubular burner in stainless steel.
Pilot and thermocouple.
Thermostatic control (130 °C - 350 °C).
Oven burner: 6000 kcal/h.
Auxiliary neutral cabinet.
Total power: 30.000 Kcal/h. (34.9 kW).
Dimensions: 1050 x 750 x 850 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	30014	Water pressure	Kg/cm ²	
Gas power	kW	34,9	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	3,93	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	1050
LPG Consumption	Kg/h	3,1	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	850
			Net weight	kg	160
			Gross weight	kg	202
			Volume	m ³	0,9748




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS RANGE, CG-750

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 2 x 6000 + 2 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
One solid top on the work-top, cast iron burner.
Burner of 4000 kcal/h.
Dimensions: 347x620 mm.
Total power: 24.000 Kcal/h. (27.9 kW).
Dimensions: 1050 x 750 x 2900 mm.

DATA

Electric power	kW		Water consumption	lit/h	
Gas power	kcal/h	23994	Water pressure	Kg/cm ²	
Gas power	kW	27,9	Steam power	kg/h	
Natural Gas			Steam pressure	Kg/cm ²	
Consumption	m ³ /h	2,8	Air consumption	NI/min	
Natural Gas			Air pressure	Kg/cm ²	
pressure	g/cm ²	18	Length	mm	1050
LPG Consumption	Kg/h	2,1	Depth	mm	750
LPG pressure	g/cm ²	37	Height	mm	290
			Net weight	kg	100
			Gross weight	kg	115
			Volume	m ³	0,5




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS AND ELECTRIC RANGE, CGE-741

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 1 x 6000 + 3 x 4000 kcal/h
Dimensions of the grill: 347x310 mm.
2/1 GN oven made of stainless steel, with upper and lower heating elements.
Selector switch for the elements.
Thermostatic control (130 °C – 350 °C).
Oven power: 6 kW.
Total gas power: 18.000 kcal/h.(20.93 kW)
Total electrical power: 6 kW.
Dimensions: 700 x 750 x 850 mm.

DATA

Electric power	kW	6	Water consumption	lit/h	
Electrical intake			Water pressure	Kg/cm ²	
230V - 1 + N + T	2x4+T - 32 A		Steam power	kg/h	
230V - 3 + T	3x2,5+T - 20 A		Steam pressure	Kg/cm ²	
400V - 3 + N + T	4x1,5+T - 16		Air consumption	NI/min	
A			Air pressure	Kg/cm ²	
Gas power	kcal/h	18000	Length	mm	700
Gas power	kW	20,93	Depth	mm	750
Natural Gas			Height	mm	850
Consumption	m ³ /h	2,09	Net weight	kg	134
Natural Gas			Gross weight	kg	152
pressure	g/cm ²	18	Volume	m ³	0,6593
LPG Consumption	Kg/h	1,56			
LPG pressure	g/cm ²	37			




Distribuidor oficial:





B° Sancholopetegui, 22
Apdo. 17
20560 OÑATI (ESPAÑA)
Tel: +34 943 71 80 30
Fax: +34 943 71 81 81

www.fagorindustrial.com



GAS AND ELECTRIC RANGE, CGE-741 H

DESCRIPTION

Made of stainless steel.
Open hobs with safety valve and thermocouples.
Pilots for ignition. Cast iron gratings and burners.
Burners: 4 x 8,000 kcal/h
Dimensions of the grill: 347x310 mm.
2/1 GN oven made of stainless steel, with upper and lower heating elements.
Selector switch for the elements.
Thermostatic control (130 °C – 350 °C).
Oven power: 6 kW.
Total gas power: 32.000 kcal/h.(37,21 kW)
Total electrical power: 6 kW.
Dimensions: 700 x 750 x 850 mm.

DATA

Electric power	kW	6	Water consumption	lit/h	
Electrical intake			Water pressure	Kg/cm ²	
230V - 1 + N + T	2x4+T - 32 A		Steam power	kg/h	
230V - 3 + T	3x2,5+T - 20 A		Steam pressure	Kg/cm ²	
400V - 3 + N + T	4x1,5+T - 16		Air consumption	NI/min	
A			Air pressure	Kg/cm ²	
Gas power	kcal/h	32000	Length	mm	700
Gas power	kW	37,21	Depth	mm	750
Natural Gas			Height	mm	850
Consumption	m ³ /h	3,85	Net weight	kg	134
Natural Gas			Gross weight	kg	152
pressure	g/cm ²	18	Volume	m ³	0,6593
LPG Consumption	Kg/h	3			
LPG pressure	g/cm ²	37			



Distribuidor oficial:

